



C. B. F. C.

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PATENT NO.: 7,448,187

PATENTEE: KELLER-13 PCT

ISSUED: NOVEMBER 11, 2008

SERIAL NO.: 10/524,943

FILED: DECEMBER 22, 2005

TITLE: INSTALLATION FOR PRODUCING AND PACKING TUBES

REQUEST FOR CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. §1.322

Attn: Certificate of Corrections Branch

Honorable Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
MAR 25 2009
of Correction

Dear Commissioner:

In accordance with the provisions of 37 C.F.R. §1.322 of the Rules of Practice, which implement 35 U.S.C. 254, approval of the attached Certificate of Correction for the above-identified patent to correct the errors noted below appearing in the issued patent is respectfully requested.

Most recently, in reviewing the above-identified patent, it was discovered that an error appeared in Claim 1, which should be corrected.


In particular, in Column 7, line 10 (line 2 of subparagraph (l) in Claim 1), after the word "tubes" please insert the phrase: --carried on the transport prisms-- and delete same phrase from subparagraph (m).

MAR 25 2009

Because the error was the fault of the PTO, as is shown by the attached excerpt from the Examiner's Amendment set forth in the Supplemental Notice of Allowability dated August 18, 2008, no fee is required for the filing of this Certificate of Correction; however, should any additional fees be required, the Commissioner is authorized to charge such fees to Deposit Account No. 03-2468.

Accordingly, approval of the attached Certificate of Correction is respectfully requested.

Respectfully submitted,
GERHARD KELLER



Frederick J. Dorchak, Reg. No. 29,298
Elizabeth Collard Richter, Reg. No. 35,103
Attorneys for Applicant

COLLARD & ROE, P.C.
1077 Northern Boulevard
Roslyn, NY 11576
(516) 365-9802
FJD:ke

Enclosures: Certificate of Correction in duplicate
Excerpt from the Examiner's Amendment in Supplemental Notice of Allowability dated 8/18/08.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Certificate of Corrections Branch, Commissioner of Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on March 20, 2009.



Amy Klein

MAR 25 2009

EXAMINER'S AMENDMENT

1. This Supplemental Examiner's Amendment is in response to a phone call from Mr. Frederick Dorchak (Reg. No. 29,298) on 08/14/2008.
2. This Supplemental Examiner's Amendment is to amend the Examiner's Amendment mailed on 07/29/2008.
3. The amendment to claim 9 in the Examiner's Amendment mailed 7/29/2008 has been reproduced and amended to correct the line numbers in the bottom two bullets as follows:

In Claim 9:

- The phrase --a plurality of stations each having-- has been inserted between "comprising" and "a number of mandrels" on line 17;
- The phrase --of each station-- has been inserted between "mandrels" and "corresponding" on line 18;
- The phrase --in the transfer group-- has been inserted after "bodies" on line 19;
- "a plurality" on line 22 has been changed to: --the plurality--;
- "for removing" on line 27 has been changed to: --for jointly removing--;
- "being deposited" on line ~~[[35]]~~ 33 has been changed to: --being jointly deposited--;
- The phrase --carried on the transport prisms-- has been inserted after "flawless tubes" on line ~~[[42]]~~ 40.

MAR 25 2009

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,448,187

APPLICATION NO.: 10/524,943

ISSUE DATE : NOVEMBER 11, 2008

INVENTOR(S) : KELLER-13 PCT

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In particular, in Column 7, line 10 (line 2 of subparagraph (l) in Claim 1), after the word "tubes" please insert the phrase: --carried on the transport prisms-- and delete same phrase from subparagraph (m).

MAILING ADDRESS OF SENDER (Please do not use customer number below):

COLLARD & ROE, P.C.
1077 Northern Boulevard
Roslyn, NY 11576

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

MAD 25 2009

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,448,187

APPLICATION NO.: 10/524,943

ISSUE DATE : NOVEMBER 11, 2008

INVENTOR(S) : KELLER-13 PCT

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In particular, in Column 7, line 10 (line 2 of subparagraph (l) in Claim 1), after the word "tubes" please insert the phrase: --carried on the transport prisms-- and delete same phrase from subparagraph (m).

MAILING ADDRESS OF SENDER (Please do not use customer number below):

COLLARD & ROE, P.C.
1077 Northern Boulevard
Roslyn, NY 11576

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

MAR 25 2009